

**Table 2. Number, incidence rate <sup>1</sup>, median days away from work <sup>2</sup> and relative standard errors <sup>3</sup> of occupational injuries and illnesses involving days away from work <sup>4</sup> to selected parts of body with musculoskeletal disorders<sup>5</sup> in private industry for Massachusetts, 2007**

Part of body affected	Total Cases	Incidence Rate	Median Days	Relative Standard Error
All Selected Parts	11,710	52.3	8	3.9
1 Neck- Including Throat	200	0.9	4	12.9
10 Neck- except internal location of diseases or disorders	200	0.9	4	12.9
2 Trunk	8,930	39.9	7	4.0
21 Shoulder- including clavicle- scapula	1,900	8.5	10	5.3
22 Chest- including ribs- internal organs	70	0.3	5	21.2
220 Chest- except internal location of diseases or disorders	70	0.3	5	21.2
23 Back- including spine- spinal cord	6,090	27.2	7	4.2
230 Back- including spine- spinal cord- unspecified	3,270	14.6	7	4.7
231 Lumbar region	2,480	11.1	8	5.0
232 Thoracic region	210	0.9	3	12.5
238 Multiple back regions	120	0.5	3	16.2
24 Abdomen	500	2.2	25	8.5
240 Abdomen- except internal location of diseases or disorders	100	0.5	13	17.3
241 Internal abdominal location- unspecified	380	1.7	25	9.6
245 Intestines- peritoneum	20	0.1	28	36.3
2450 Intestines- peritoneum- unspecified	20	0.1	28	36.3
25 Pelvic region	200	0.9	7	12.7
251 Hip(s)	50	0.2	4	24.4
254 Groin	150	0.7	9	14.7
28 Multiple trunk locations	160	0.7	8	14.3
3 Upper extremities	1,240	5.5	9	6.1
31 Arm(s)	380	1.7	13	9.5
310 Arm(s)- unspecified	100	0.5	9	17.3
311 Upper arm(s)	70	0.3	16	21.6
312 Elbow(s)	170	0.7	13	13.9
313 Forearm(s)	40	0.2	3	26.5
32 Wrist(s)	610	2.7	6	7.9
33 Hand(s)- except finger(s)	60	0.2	41	23.5
34 Finger(s)- fingernail(s)	100	0.4	11	17.9
38 Multiple upper extremities locations	90	0.4	10	18.4
381 Hand(s) and finger(s)	20	0.1	1	37.2

See footnotes at end of table

**Table 1. Number, incidence rate <sup>1</sup>, median days away from work <sup>2</sup> and relative standard errors <sup>3</sup> of occupational injuries and illnesses involving days away from work <sup>4</sup> to selected parts of body with musculoskeletal disorders<sup>5</sup> in private industry for Massachusetts, 2007 -- Continued**

Part of body affected	Total Cases	Incidence Rate	Median Days	Relative Standard Error
389 Multiple upper extremities locations- n.e.c.	50	0.2	33	24.6
4 Lower extremities	850	3.8	14	6.9
41 Leg(s)	600	2.7	23	7.9
410 Leg(s)- unspecified	80	0.4	3	19.4
412 Knee(s)	440	2.0	27	9.0
413 Lower leg(s)	60	0.3	116	22.6
42 Ankle(s)	150	0.7	5	14.4
43 Foot(feet)- except toe(s)	70	0.3	8	21.0
430 Foot(feet)- except toe(s)- unspecified	70	0.3	8	21.5
48 Multiple lower extremities locations	20	0.1	12	35.1
489 Multiple lower extremities locations- n.e.c.	20	0.1	12	39.0
8 Multiple Body Parts	490	2.2	10	8.6

<sup>1</sup> Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as:  
 $(N / EH) \times 20,000,000$  where,

N = number of injuries and illnesses,

EH = total hours worked by all employees during the calendar year,

20,000,000 = base for 10,000 full-time equivalent workers (working 40 hours per week, 50 weeks per year).

<sup>2</sup> Median days away from work is the measure used to summarize the varying lengths of absences from work among the cases with days away from work. Half the cases involved more days and half involved less days than a specified median. Median days away from work are represented in actual values.

<sup>3</sup> Relative standard errors are a measure of the sampling error of an estimate. Sampling errors occur because observations are made on a sample, not on the entire population. Estimates based on the different possible samples of the same size and sample design could differ. Relative standard errors less than 0.05 are not shown.

<sup>4</sup> Days away from work cases include those which result in days away from work with or without job transfer or restriction.

<sup>5</sup> Includes cases where the nature of injury is: sprains, strains, tears; back pain, hurt back; soreness, pain, hurt, except back; carpal tunnel syndrome; hernia; or musculoskeletal system and connective tissue diseases and disorders and when the event or exposure leading to the injury or illness is: bodily reaction/bending, climbing, crawling, reaching, twisting; overexertion; or repetition. Cases of Raynaud's phenomenon, tarsal tunnel syndrome, and herniated spinal discs are not included. Although these cases may be considered MSD's, the survey classifies these cases in categories that also include non-MSD cases.

NOTE: Dashes indicate data that do not meet publication guidelines or data for incidence rates less than .05 per 10,000 full-time workers. The scientifically selected probability sample used was one of many possible samples, each of which could have produced different estimates. A measure of sampling variability for each estimate is available upon request.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, February 04, 2010